

ILE'O

REF.
NUS140

TESTED
140KG

FALL ARREST AND RESCUE HARNESS WITH
WORK POSITIONING BELT AND PIVOTING RINGS



REGULATION

2016 / 425

CERTIFICATION

EN 361 : 2002
EN 358 : 2018
EN 1497 : 2007
EN 813 : 1997

COMFORT / ACCESSORIES



REMOVABLE BACK PAD
WITH BREATHABLE 3D FABRIC



LARGE LEGS AND POSITIONING BELT
WITH BREATHABLE 3D FABRIC



AUTOMATIC ALUMINUM BUCKLES
WITH LOCKING INDICATOR



TOOL HOLDERS (X2) + LARGE TEXTILE
STRINGS FOR TOOL HOLDING (X3)



REMOVABLE LANYARD HOLDER (X2)

ATTACHMENT POINTS



FRONT FALL ARREST ATTACHMENT
POINT WITH WEBBING LOOPS TO LINK



BACK FALL ARREST ATTACHMENT
POINT WITH ALUMINUM D RING



VENTRAL SUSPENSION ATTACHMENT
POINTS BY WEBBING LOOPS TO LINK



LATERAL ATTACHMENT POINTS WITH
ALUMINUM PIVOTING D RING FOR
WORK POSITIONING

SAFETY



DROP INDICATORS

TECHNICAL SPECIFICATIONS

- Water repellent webbing in polyester 44 mm ($R \geq 25$ kN)
 - Adjustment of shoulder straps, belt and leg straps height through quick buckles
 - Chest strap 44 mm with automatic aluminum front buckle
 - Back D ring in anodised forged aluminium
 - Lateral attachment points with forged aluminum pivoting D ring for work positioning
 - Front suspension and sternal attachment points on webbing loops to connect together
 - Large legs with breathable 3D fabric and automatic alu buckle
 - Large positioning belt with breathable 3D fabric, adjustable on height with 3 large textile strings for tool holding
 - Removable back pad with breathable 3D fabric to facilitate the donning of the harness and increase the comfort of the user
 - Drop indicator showing at 300 daN
 - Static resistance ≥ 15 kN
 - Weight : 2,5 kg
- Removable accessories included: 2x Lanyard holders (Ref : NPORTL).





USE

For heavy use in sectors like ski lifts, industrial maintenance, windmills, energy, and masts.

DESCRIPTION

ILEO is a versatile and ergonomic harness with a large work positioning belt and a breathable back pad with many adjustment possibilities to ensure the highest comfort and the quickest donning. Its belt design with large lateral positioning D rings enables the user to rotate while working and offer a very good back support. It is made of very resistant water repellent webbings for workers with tools up to 140 kg and is fitted with many tool-holders.

SIZES

TAILLE / SIZE	
	80 cm \leq Size S \leq 105 cm
	90 cm \leq Size M-L \leq 115 cm
	100 cm \leq Size XL \leq 135 cm
	65 cm \leq Size S \leq 105 cm
	85 cm \leq Size M-L \leq 120 cm
	105 cm \leq Size XL \leq 130 cm
	45 cm \leq Size S \leq 65 cm
	50 cm \leq Size M-L \leq 75 cm
	60 cm \leq Size XL \leq 80 cm
	155 cm \leq Size S \leq 175 cm
	165 cm \leq Size M-L \leq 188 cm
	170 cm \leq Size XL \leq 200 cm

REFERENCES

NUS140..S	Size S
NUS140..ML	Size M/L
NUS140..XL	Size XL